



SSG PUBLICATION LIST

Main publications from the Scandinavian Sarcoma Group

Eva-Mari Olofsson
Eva-Mari.Olofsson@med.lu.se
Latest updated 2020-11-25

[Preoperative accelerated radiotherapy combined with chemotherapy in a defined cohort of patients with high risk soft tissue sarcoma: a Scandinavian Sarcoma Group study.](#)

Sundby Hall K, Bruland ØS, Bjerkehagen B, Lidbrink E, Jebsen N, Hagberg H, Papworth K, Hagberg O, Trovik C, Bauer HCF and Eriksson M.

[Survival Outcomes Associated With 3 Year of Adjuvant Imatinib for Patients With High-Risk Gastrointestinal Stromal Tumors.](#)

An Analysis of a Randomized Clinical Trial After 10 -Year Follow-up.

Joensuu H, Eriksson M, Sundby Hall K, Reichardt A, Hermes B, Schütte J, Cameron S, Hohenberger P, Jost PJ, Al-Batran SE, Lindner LH, Bauer S, Wardelmann E, Nilsson B, Kallio R, Jaakkola P, Junnila J, Alvegård T, Reichardt P.

PMID: 32469385 PMCID: [PMC7260691](#) (available on 2021-05-29) DOI: [10.1001/jamaoncol.2020.2091](#)

[Soft-Tissue Sarcoma in Adolescents and Young Adults Compared With Older Adults: A Report Among 5000 Patients From the Scandinavian Sarcoma Group Central Register.](#)

Papworth K E, Arroyo V M, Styring E, Zaikova O, Melin B S, Lupo P J.

[Adjuvant chemotherapy and postoperative radiotherapy in high-risk soft tissue sarcoma patients defined by biological risk factors-A Scandinavian Sarcoma Group study \(SSG XX\).](#)

Sundby Hall K, Bruland ØS, Bjerkehagen B, Zaikova O, Engellau J, Hagberg O, Hansson L, Hagberg H, Ahlström M, Knobel H, Papworth K, Zemmler M, Goplen D, Bauer HCF, Eriksson M.

Eur J Cancer. 2018 Jun 18;99:78-85. doi: 10.1016/j.ejca.2018.05.011. [Epub ahead of print]

PMID: 29929092

[A Scandinavian Point of View: Caring for Patients With Sarcoma Across Boundaries.](#)

Vade C, Næss S.

[Clin J Oncol Nurs](#). 2018 Jun 1;22(3):357-359. doi: 10.1188/18.CJON.357-359.

PMID: 29781457

[Effect of KIT and PDGFRA Mutations on Survival in Patients With Gastrointestinal Stromal Tumors Treated With Adjuvant Imatinib: An Exploratory Analysis of a Randomized Clinical Trial](#)

Joensuu H, Wardelmann E, Sihto H, Eriksson M, Sundby Hall K, Reichardt A, Hartmann JT, Pink D, Cameron S, Hohenberger P, Al-Batran SE, Schlemmer M, Bauer S, Nilsson B, Kallio R, Junnila J, Vehtari A, Reichardt P.

PMID: 28334365 PMCID: [PMC5470395](#) DOI: [10.1001/jamaoncol.2016.5751](#)

[Comparison of MAPIE versus MAP in patients with a poor response to preoperative chemotherapy for newly diagnosed high-grade osteosarcoma \(EURAMOS-1\): an open-label, international, randomised controlled trial.](#)

Marina NM, Smeland S, Bielack SS, Bernstein M, Jovic G, Krailo MD, Hook JM, Arndt C, van den Berg H, Brennan B, Brichard B, Brown KL, Butterfass-Bahloul T, Calaminus G, Daldrup-

Link HE, Eriksson M, Gebhardt MC, Gelderblom H, Gerss J, Goldsby R, Goorin A, Gorlick R, Grier HE, Hale JP, Hall KS, Harges J, Hawkins DS, Helmke K, Hogendoorn PC, Isakoff MS, Janeway KA, Jürgens H, Kager L, Kühne T, Lau CC, Leavey PJ, Lessnick SL, Mascarenhas L, Meyers PA, Mottl H, Nathrath M, Papai Z, Randall RL, Reichardt P, Renard M, Safwat AA, Schwartz CL, Stevens MC, Strauss SJ, Teot L, Werner M, Sydes MR, Whelan JS. *Lancet Oncol.* 2016 Oct;17(10):1396-1408. doi: 10.1016/S1470-2045(16)30214-5.

PMID: 27569442

[Needle biopsy through the abdominal wall for the diagnosis of gastrointestinal stromal tumour - Does it increase the risk for tumour cell seeding and recurrence?](#)

Eriksson M, Reichardt P, Sundby Hall K, Schütte J, Cameron S, Hohenberger P, Bauer S, Leinonen M, Reichardt A, Rejmyr Davis M, Alvegård T, Joensuu H. *Eur J Cancer.* 2016 May;59:128-33. doi: 10.1016/j.ejca.2016.02.021.

PMID: 27033260

[Improved Prognosis for Patients with Ewing Sarcoma in the Sacrum Compared with the Innominate Bones: The Scandinavian Sarcoma Group Experience.](#)

Hesla AC, Tsagozis P, Jebsen N, Zaikova O, Bauer H, Brosjö O. *J Bone Joint Surg Am.* 2016 Feb 3;98(3):199-210. doi: 10.2106/JBJS.O.00362. Erratum in: [J Bone Joint Surg Am. 2016 Apr 6;98\(7\):e29.](#)

PMID: 26842410

[Adjuvant Imatinib for High-Risk GI Stromal Tumor: Analysis of a Randomized Trial.](#)

Joensuu H, Eriksson M, Sundby Hall K, Reichardt A, Hartmann JT, Pink D, Ramadori G, Hohenberger P, Al-Batran SE, Schlemmer M, Bauer S, Wardelmann E, Nilsson B, Sihto H, Bono P, Kallio R, Junnila J, Alvegård T, Reichardt P. *J Clin Oncol.* 2016 Jan 20;34(3):244-50. doi: 10.1200/JCO.2015.62.9170.

PMID: 26527782

[Referral patterns, treatment and outcome of high-grade malignant bone sarcoma in Scandinavia--SSG Central Register 25 years' experience.](#)

Zaikova O, Sundby Hall K, Styring E, Eriksson M, Trovik CS, Bergh P, Bjerkehagen B, Skorpil M, Weedon-Fekjaer H, Bauer HC. *J Surg Oncol.* 2015 Dec;112(8):853-60. doi: 10.1002/jso.24074.

PMID: 26482729

[Prognostic factors and follow-up strategy for superficial soft-tissue sarcomas: Analysis of 622 surgically treated patients from the scandinavian sarcoma group register.](#)

Tsagozis P, Bauer HC, Styring E, Trovik CS, Zaikova O, Brosjö O. *J Surg Oncol.* 2015 Jun;111(8):951-6. doi: 10.1002/jso.23927.

PMID: 26040651

[EURAMOS-1, an international randomised study for osteosarcoma: results from pre-randomisation treatment.](#)

Whelan JS, Bielack SS, Marina N, Smeland S, Jovic G, Hook JM, Krailo M, Anninga J, Butterfass-Bahloul T, Böbling T, Calaminus G, Capra M, Deffenbaugh C, Dhooge C, Eriksson M, Flanagan AM, Gelderblom H, Goorin A, Gorlick R, Gosheger G, Grimer RJ, Hall KS, Helmke K, Hogendoorn PC, Jundt G, Kager L, Kuehne T, Lau CC, Letson GD, Meyer J,

Meyers PA, Morris C, Mottl H, Nadel H, Nagarajan R, Randall RL, Schomberg P, Schwarz R, Teot LA, Sydes MR, Bernstein M; EURAMOS collaborators..
Ann Oncol. 2015 Feb;26(2):407-14. doi: 10.1093/annonc/mdu526.

PMID: 25421877

[Adjuvant radiotherapy in retroperitoneal sarcomas. A Scandinavian Sarcoma Group study of 97 patients.](#)

Trovik LH, Ovrebo K, Almquist M, Haugland HK, Rissler P, Eide J, Engellau J, Monge OR, Nyhus AB, Elde IK, Jebsen NL.

Acta Oncol. 2014 Sep;53(9):1165-72. doi: 10.3109/0284186X.2014.921723.

PMID: 25000415

[ENCCA WP17-WP7 consensus paper on teenagers and young adults \(TYA\) with bone sarcomas.](#)

Wilhelm M, Dirksen U, Bielack SS, Whelan JS, Lewis IJ, Jürgens H, Ferrari S, Sundby Hall K, Cleton-Jansen AM, Stark D; ENCCA (European Network for Cancer research in Children and Adolescents)..

Ann Oncol. 2014 Aug;25(8):1500-5. doi: 10.1093/annonc/mdu153.

PMID: 24962703

[Prognostic role of en-bloc resection and late onset of bone metastasis in patients with bone-seeking carcinomas of the kidney, breast, lung, and prostate: SSG study on 672 operated skeletal metastases.](#)

Ratasvuori M, Wedin R, Hansen BH, Keller J, Trovik C, Zaikova O, Bergh P, Kalen A, Laitinen M.

J Surg Oncol. 2014 Sep;110(4):360-5. doi: 10.1002/jso.23654.

PMID: 24889389

[Risk factors for gastrointestinal stromal tumor recurrence in patients treated with adjuvant imatinib.](#)

Joensuu H, Eriksson M, Hall KS, Hartmann JT, Pink D, Schütte J, Ramadori G, Hohenberger P, Duyster J, Al-Batran SE, Schlemmer M, Bauer S, Wardelmann E, Sarlomo-Rikala M, Nilsson B, Sihto H, Ballman KV, Leinonen M, DeMatteo RP, Reichardt P.

Cancer. 2014 Aug 1;120(15):2325-33. doi: 10.1002/cncr.28669.

PMID: 24737415

[Gastrointestinal stromal tumor: a method for optimizing the timing of CT scans in the follow-up of cancer patients.](#)

Joensuu H, Reichardt P, Eriksson M, Sundby Hall K, Vehtari A.

Radiology. 2014 Apr;271(1):96-103. doi: 10.1148/radiol.13131040.

PMID: 24475826

[High-dose chemotherapy with stem cell rescue in the primary treatment of metastatic and pelvic osteosarcoma: final results of the ISG/SSG II study.](#)

Boye K, Del Prever AB, Eriksson M, Saeter G, Tienghi A, Lindholm P, Fagioli F, Skjeldal S, Ferrari S, Hall KS.

Pediatr Blood Cancer. 2014 May;61(5):840-5. doi: 10.1002/pbc.24868.

PMID: 24254749

[Insight opinion to surgically treated metastatic bone disease: Scandinavian Sarcoma Group Skeletal Metastasis Registry report of 1195 operated skeletal metastasis.](#)

Ratasvuori M, Wedin R, Keller J, Nottrott M, Zaikova O, Bergh P, Kalen A, Nilsson J, Jonsson H, Laitinen M.
Surg Oncol. 2013 Jun;22(2):132-8. doi: 10.1016/j.suronc.2013.02.008. Review.

PMID: 23562148

[Adjuvant therapy in primary GIST: state-of-the-art.](#)

Reichardt P, Blay JY, Boukovinas I, Brodowicz T, Broto JM, Casali PG, Decatris M, Eriksson M, Gelderblom H, Kosmidis P, Le Cesne A, Pousa AL, Schlemmer M, Verweij J, Joensuu H.
Ann Oncol. 2012 Nov;23(11):2776-81. doi: 10.1093/annonc/mds198. Review.

PMID: 22831984

[Primary metastatic Ewing's family tumors: results of the Italian Sarcoma Group and Scandinavian Sarcoma Group ISG/SSG IV Study including myeloablative chemotherapy and total-lung irradiation.](#)

Luksch R, Tienghi A, Hall KS, Fagioli F, Picci P, Barbieri E, Gandola L, Eriksson M, Ruggieri P, Daolio P, Lindholm P, Prete A, Bisogno G, Tamburini A, Grignani G, Abate ME, Podda M, Smeland S, Ferrari S.
Ann Oncol. 2012 Nov;23(11):2970-6. doi: 10.1093/annonc/mds117.

PMID: 22771824

[Reliability of Margin Assessment after Surgery for Extremity Soft Tissue Sarcoma: The SSG Experience.](#)

Trovik CS, Skjeldal S, Bauer H, Rydholm A, Jebsen N.
Sarcoma. 2012;2012:290698. doi: 10.1155/2012/290698.

PMID: 22761544

[Soft tissue sarcoma - a population-based, nationwide study with special emphasis on local control.](#)

Sampo MM, Rönty M, Tarkkanen M, Tukiainen EJ, Böhling TO, Blomqvist CP.
Acta Oncol. 2012 Jul;51(6):706-12. doi: 10.3109/0284186X.2011.643821.

PMID: 22229745

[Results of the Scandinavian Sarcoma Group XIV protocol for classical osteosarcoma: 63 patients with a minimum follow-up of 4 years.](#)

Smeland S, Bruland OS, Hjorth L, Brosjö O, Bjerkehagen B, Osterlundh G, Jakobson A, Hall KS, Monge OR, Björk O, Alvegaard TA.
Acta Orthop. 2011 Apr;82(2):211-6. doi: 10.3109/17453674.2011.566141.

PMID: 21434784

[Nonmetastatic Ewing family tumors: high-dose chemotherapy with stem cell rescue in poor responder patients. Results of the Italian Sarcoma Group/Scandinavian Sarcoma Group III protocol.](#)

Ferrari S, Sundby Hall K, Luksch R, Tienghi A, Wiebe T, Fagioli F, Alvegard TA, Brach Del Prever A, Tamburini A, Alberghini M, Gandola L, Mercuri M, Capanna R, Mapelli S, Prete A, Carli M, Picci P, Barbieri E, Bacci G, Smeland S.

Ann Oncol. 2011 May;22(5):1221-7. doi: 10.1093/annonc/mdq573.

PMID: 21059639

[Five-year results from a Scandinavian sarcoma group study \(SSG XIII\) of adjuvant chemotherapy combined with accelerated radiotherapy in high-risk soft tissue sarcoma of extremities and trunk wall.](#)

Jebsen NL, Bruland ØS, Eriksson M, Engellau J, Turesson I, Folin A, Trovik CS, Hall KS.

Int J Radiat Oncol Biol Phys. 2011 Dec 1;81(5):1359-66. doi: 10.1016/j.ijrobp.2010.07.037.

PMID: 20933339

[Diagnostic difficulties and delays with chest wall chondrosarcoma: a Swedish population based Scandinavian Sarcoma Group study of 106 patients.](#)

Widhe B, Bauer HC.

Acta Oncol. 2011 Apr;50(3):435-40. doi: 10.3109/0284186X.2010.486797.

PMID: 20545566

[International collaboration is feasible in trials for rare conditions: the EURAMOS experience.](#)

Marina N, Bielack S, Whelan J, Smeland S, Krailo M, Sydes MR, Butterfass-Bahloul T, Calaminus G, Bernstein M.

Cancer Treat Res. 2009;152:339-53. doi: 10.1007/978-1-4419-0284-9_18. Review.

PMID: 20213400

[Treatment of osteosarcoma. The Scandinavian Sarcoma Group experience.](#)

Bruland ØS, Bauer H, Alvegaard T, Smeland S.

Cancer Treat Res. 2009;152:309-18. doi: 10.1007/978-1-4419-0284-9_16. Review.

PMID: 20213398

[The Scandinavian Sarcoma Group: 30 years' experience.](#)

Alvegård T, Sundby Hall K, Bauer H, Rydholm A.

Acta Orthop Suppl. 2009 Apr;80(334):1-104. No abstract available.

PMID: 19919379

[Health status at long-term follow-up in patients treated for extremity localized Ewing Sarcoma or osteosarcoma: a Scandinavian sarcoma group study.](#)

Aksnes LH, Bauer HC, Dahl AA, Fosså SD, Hjorth L, Jebsen N, Lernerdal H, Hall KS.

Pediatr Blood Cancer. 2009 Jul;53(1):84-9. doi: 10.1002/pbc.22027.

PMID: 19343771

[Surgical treatment is decisive for outcome in chondrosarcoma of the chest wall: a population-based Scandinavian Sarcoma Group study of 106 patients.](#)

Widhe B, Bauer HC; **Scandinavian Sarcoma Group**..

J Thorac Cardiovasc Surg. 2009 Mar;137(3):610-4. doi: 10.1016/j.jtcvs.2008.07.024.

PMID:19258076

[Liposarcoma: outcome based on the Scandinavian Sarcoma Group register.](#)

Engström K, Bergh P, Gustafson P, Hultborn R, Johansson H, Löfvenberg R, Zaikova O, Trovik C, Wahlström O, Bauer HC.

Cancer. 2008 Oct 1;113(7):1649-56. doi: 10.1002/cncr.23784.

PMID: 18720363

[Limb-sparing surgery preserves more function than amputation: a Scandinavian sarcoma group study of 118 patients.](#)

Aksnes LH, Bauer HC, Jebsen NL, Follerås G, Allert C, Haugen GS, Hall KS.

J Bone Joint Surg Br. 2008 Jun;90(6):786-94. doi: 10.1302/0301-620X.90B6.19805.

PMID: 18539673

[Cement is recommended in intralesional surgery of giant cell tumors: a Scandinavian Sarcoma Group study of 294 patients followed for a median time of 5 years.](#)

Kivioja AH, Blomqvist C, Hietaniemi K, Trovik C, Walloe A, Bauer HC, Jorgensen PH, Bergh P, Follerås G.

Acta Orthop. 2008 Feb;79(1):86-93. doi: 10.1080/17453670710014815.

PMID: 18283578

[Radiotherapy to improve local control regardless of surgical margin and malignancy grade in extremity and trunk wall soft tissue sarcoma: a Scandinavian sarcoma group study.](#)

Jebsen NL, Trovik CS, Bauer HC, Rydholm A, Monge OR, Hall KS, Alvegård T, Bruland OS.

Int J Radiat Oncol Biol Phys. 2008 Jul 15;71(4):1196-203. doi: 10.1016/j.ijrobp.2007.11.023.

PMID:18207661

[Clinical course of nonvisceral soft tissue leiomyosarcoma in 225 patients from the Scandinavian Sarcoma Group.](#)

Svarvar C, Böhling T, Berlin O, Gustafson P, Follerås G, Bjerkehagen B, Domanski HA, Sundby Hall K, Tukiainen E, Blomqvist C; Scandinavian Sarcoma Group Leiomyosarcoma Working Group.

Cancer. 2007 Jan 15;109(2):282-91.

PMID: 17154171

[May P-glycoprotein status be used to stratify high-grade osteosarcoma patients? Results from the Italian/Scandinavian Sarcoma Group 1 treatment protocol.](#)

Serra M, Pasello M, Manara MC, Scotlandi K, Ferrari S, Bertoni F, Mercuri M, Alvegård TA, Picci P, Bacci G, Smeland S.

Int J Oncol. 2006 Dec;29(6):1459-68.

PMID:17088985

[Treatment of local recurrences of giant cell tumour in long bones after curettage and cementing. A Scandinavian Sarcoma Group study.](#)

Vult von Steyern F, Bauer HC, Trovik C, Kivioja A, Bergh P, Holmberg Jörgensen P, Follerås G, Rydholm A; Scandinavian Sarcoma Group.

J Bone Joint Surg Br. 2006 Apr;88(4):531-5.

PMID:16567792

[Neoadjuvant chemotherapy with high-dose Ifosfamide, high-dose methotrexate, cisplatin, and doxorubicin for patients with localized osteosarcoma of the extremity: a joint study by the Italian and Scandinavian Sarcoma Groups.](#)

Ferrari S, Smeland S, Mercuri M, Bertoni F, Longhi A, Ruggieri P, Alvegård TA, Picci P, Capanna R, Bernini G, Müller C, Tienghi A, Wiebe T, Comandone A, Böhling T, Del Prever AB, Brosjö O, Bacci G, Saeter G; Italian and Scandinavian Sarcoma Groups.
J Clin Oncol. 2005 Dec 1;23(34):8845-52.

PMID:16246977

[The Scandinavian Sarcoma Group 25 years' experience.](#)

Acta Orthop Scand Suppl. 2004 Apr;75(311):1-114. No abstract available.

PMID:15224667

[Chemotherapy in osteosarcoma. The Scandinavian Sarcoma Group experience.](#)

Smeland S, Wiebe T, Böhling T, Brosjö O, Jonsson K, Alvegård TA.
Acta Orthop Scand Suppl. 2004 Apr;75(311):92-8. Review. No abstract available.

PMID:15188671

[Chemotherapy in Ewing's sarcoma. The Scandinavian Sarcoma Group experience.](#)

Smeland S, Wiebe T, Brosjö O, Böhling T, Alvegård TA.
Acta Orthop Scand Suppl. 2004 Apr;75(311):87-91. Review. No abstract available.

PMID:15188670

[Chemotherapy in soft tissue sarcoma. The Scandinavian Sarcoma Group experience.](#)

Fernberg JO, Hall KS.
Acta Orthop Scand Suppl. 2004 Apr;75(311):77-86. Review.

PMID:15188669

[Diagnostic procedures and surgical treatment of bone sarcomas. Experience from the Scandinavian Sarcoma Group and Karolinska Hospital.](#)

Brosjö O, Bauer HC.
Acta Orthop Scand Suppl. 2004 Apr;75(311):57-61. No abstract available.

PMID:15188666

[The Scandinavian Sarcoma Group Skeletal Metastasis Register. Survival after surgery for bone metastases in the pelvis and extremities.](#)

Hansen BH, Keller J, Laitinen M, Berg P, Skjeldal S, Trovik C, Nilsson J, Walloe A, Kalén A, Wedin R.
Acta Orthop Scand Suppl. 2004 Apr;75(311):11-5.

PMID:15188660

[The Scandinavian Sarcoma Group Register 1986-2001.](#)

Bauer HC, Alvegård TA, Berlin O, Erlanson M, Kalén A, Lindholm P, Gustafson P, Smeland S, Trovik CS.
Acta Orthop Scand Suppl. 2004 Apr;75(311):8-10. No abstract available.

PMID:15188659

[The Scandinavian Sarcoma Group--background, organization and the SSG Register--the first 25 years.](#)

Alvegård TA, Bauer H, Blomqvist C, Rydholm A, Smeland S.
Acta Orthop Scand Suppl. 2004 Apr;75(311):1-7. No abstract available.

PMID:15188658

[Time dependence of prognostic factors for patients with soft tissue sarcoma: a Scandinavian Sarcoma Group Study of 338 malignant fibrous histiocytomas.](#)

Engellau J, Anderson H, Rydholm A, Bauer HC, Hall KS, Gustafson P, Akerman M, Meis-Kindblom J, Alvegård TA, Nilbert M; Scandinavian Sarcoma Group.
Cancer. 2004 May 15;100(10):2233-9.

PMID:15139069

[Scandinavian Sarcoma Group Osteosarcoma Study SSG VIII: prognostic factors for outcome and the role of replacement salvage chemotherapy for poor histological responders.](#)

Smeland S, Müller C, Alvegård TA, Wiklund T, Wiebe T, Björk O, Stenwig AE, Willén H, Holmström T, Follerås G, Brosjö O, Kivioja A, Jonsson K, Monge O, Saeter G.
Eur J Cancer. 2003 Mar;39(4):488-94.

PMID:12751380

[Fine-needle aspiration of synovial sarcoma: criteria for diagnosis: retrospective reexamination of 37 cases, including ancillary diagnostics.](#)

[A Scandinavian Sarcoma Group study.](#)

Akerman M, Ryd W, Skytting B; Scandinavian Sarcoma Group.
Diagn Cytopathol. 2003 May;28(5):232-8.

PMID:12722117

[High dose ifosfamide in combination with high dose methotrexate, adriamycin and cisplatin in the neoadjuvant treatment of extremity osteosarcoma: preliminary results of an Italian Sarcoma Group/Scandinavian Sarcoma Group pilot study.](#)

Bacci G, Ferrari S, Longhi A, Picci P, Mercuri M, Alvegård TA, Saeter G, Donati D, Manfrini M, Lari S, Briccoli A, Forni C; Italian Sarcoma Group/Scandinavian Sarcoma Group.
J Chemother. 2002 Apr;14(2):198-206.

PMID:12017378

[Local recurrence of soft tissue sarcoma. A Scandinavian Sarcoma Group Project.](#)

Trovik CS; Scandinavian Sarcoma Group Project..
Acta Orthop Scand Suppl. 2001 Feb;72(300):1-31.

PMID:11381580

[Local recurrence of deep-seated, high-grade, soft tissue sarcoma: 459 patients from the Scandinavian Sarcoma Group Register.](#)

Trovik CS, Bauer HC, Berlin O, Tukiainen E, Erlanson M, Gustafson P, Klepp R, Saeter G, Wahlström O.
Acta Orthop Scand. 2001 Apr;72(2):160-6.

PMID:11372947

[Monitoring referral and treatment in soft tissue sarcoma: study based on 1,851 patients from the Scandinavian Sarcoma Group Register.](#)

Bauer HC, Trovik CS, Alvegård TA, Berlin O, Erlanson M, Gustafson P, Klepp R, Möller TR, Rydholm A, Saeter G, Wahlström O, Wiklund T.
Acta Orthop Scand. 2001 Apr;72(2):150-9.

PMID:11372946

[Consequences of local recurrence of soft tissue sarcoma: 205 patients from the Scandinavian Sarcoma Group Register.](#)

Trovik CS, Gustafson P, Bauer HC, Saeter G, Klepp R, Berlin O, Erlanson M, Wahlström O, Raabe N.
Acta Orthop Scand. 2000 Oct;71(5):488-95.

PMID:11186407

[Five-year results in Ewing's sarcoma. The Scandinavian Sarcoma Group experience with the SSG IX protocol.](#)

Elomaa I, Blomqvist CP, Saeter G, Akerman M, Stenwig E, Wiebe T, Björk O, Alvegård TA.
Eur J Cancer. 2000 May;36(7):875-80.

PMID:10785592

[Surgical margins, local recurrence and metastasis in soft tissue sarcomas: 559 surgically-treated patients from the Scandinavian Sarcoma Group Register.](#)

Trovik CS, Bauer HC, Alvegård TA, Anderson H, Blomqvist C, Berlin O, Gustafson P, Saeter G, Wallöe A.
Eur J Cancer. 2000 Apr;36(6):710-6.

PMID:10762742

[Synovial sarcoma--identification of favorable and unfavorable histologic types: a Scandinavian sarcoma group study of 104 cases.](#)

Skytting B, Meis-Kindblom JM, Larsson O, Virolainen M, Perfekt R, Akerman M, Kindblom LG.
Acta Orthop Scand. 1999 Dec;70(6):543-54.

PMID:10665717

[Clinical course in synovial sarcoma: a Scandinavian sarcoma group study of 104 patients.](#)

Skytting BT, Bauer HC, Perfekt R, HUUHTANEN R, Alvegård TA, Berlin O, Gustafson P, Klepp R, Löfvenberg R, Saeter G, Trovik CS, Wahlström O.
Acta Orthop Scand. 1999 Dec;70(6):536-42.

PMID:10665716

[Ki-67 is strongly prognostic in synovial sarcoma: analysis based on 86 patients from the Scandinavian Sarcoma group register.](#)

Skytting BT, Bauer HC, Perfekt R, Nilsson G, Larsson O.
Br J Cancer. 1999 Aug;80(11):1809-14.

PMID:10468301

[Chemotherapy in osteosarcoma. The Scandinavian Sarcoma Group experience.](#)

Saeter G, Wiebe T, Wiklund T, Monge O, Wahlqvist Y, Engström K, Forestier E, Holmström T, Stenwig AE, Willén H, Brosjö O, Follerås G, Alvegård TA, Strander H.
Acta Orthop Scand Suppl. 1999 Jun;285:74-82. No abstract available.

PMID:10429627

[Chemotherapy in Ewing's sarcoma. The Scandinavian Sarcoma Group experience.](#)

Elomaa I, Blomqvist C, Saeter G, Nilbert M, Monge OR, Wiebe T, Alvegård TA.
Acta Orthop Scand Suppl. 1999 Jun;285:69-73.

PMID:10429626

[Chemotherapy in soft tissue sarcoma. The Scandinavian Sarcoma Group experience.](#)

Fernberg JO, Wiklund T, Monge O, Hall KS, Saeter G, Alvegård TA, Strander H.
Acta Orthop Scand Suppl. 1999 Jun;285:62-8.

PMID:10429625

[Surgical procedure and local recurrence in 223 patients treated 1982-1997 according to two osteosarcoma chemotherapy protocols. The Scandinavian Sarcoma Group experience.](#)

Brosjö O.

Acta Orthop Scand Suppl. 1999 Jun;285:58-61.

PMID:10429624

[Prognostic factors in soft tissue sarcoma. A review and the Scandinavian Sarcoma Group experience.](#)

Rydholm A, Gustafson P, Alvegård TA, Saeter G, Blomqvist C.
Acta Orthop Scand Suppl. 1999 Jun;285:50-7. Review. No abstract available.

PMID:10429623

[Diagnosis, treatment and prognosis of patients with synovial sarcoma. The Scandinavian Sarcoma Group experience.](#)

Skytting BT, Bauer HC, Larsson O.

Acta Orthop Scand Suppl. 1999 Jun;285:47-9. No abstract available.

PMID:10429622

[Local recurrence after surgery for soft tissue sarcoma. The Scandinavian Sarcoma Group experience.](#)

Trovik CS, Bauer HC.

Acta Orthop Scand Suppl. 1999 Jun;285:45-6. Review. No abstract available.

PMID:10429621

[The Scandinavian Sarcoma Group Register.](#)

Bauer HC, Alvegård TA, Berlin O, Erlanson M, Gustafson P, Kivioja A, Klepp R, Lehtinen T, Lindholm P, Möller TR, Rydholm A, Saeter G, Trovik CS, Wahlström O, Wiklund T.

Acta Orthop Scand Suppl. 1999 Jun;285:41-4. Review. No abstract available.

PMID:10429620

[Morphologic review of 1000 soft tissue sarcomas from the Scandinavian Sarcoma Group \(SSG\) Register. The peer-review committee experience.](#)
Meis-Kindblom JM, Bjerkehage B, Böhling T, Domanski H, Halvorsen TB, Larsson O, Lilleng P, Myhre-Jensen O, Stenwig E, Virolainen M, Willén H, Akerman M, Kindblom LG.

Acta Orthop Scand Suppl. 1999 Jun;285:18-26. No abstract available.

PMID:10429617

[The Scandinavian Sarcoma Group. Background, organization and the Central Register--the first 20 years.](#)

Alvegård TA, Bauer H, Blomqvist C, Möller T, Rydholm A, Saeter G.

Acta Orthop Scand Suppl. 1999 Jun;285:3-7. No abstract available.

PMID:10429614

[Ewing's sarcoma treatment in Scandinavia 1984-1990--ten-year results of the Scandinavian Sarcoma Group Protocol SSGIV.](#)

Nilbert M, Saeter G, Elomaa I, Monge OR, Wiebe T, Alvegård TA.

Acta Oncol. 1998;37(4):375-8.

PMID:9743460

[Ifosfamide and continuous infusion etoposide in advanced adult soft tissue sarcoma. A Scandinavian Sarcoma Group Phase II Study.](#)

Saeter G, Alvegård TA, Monge OR, Strander H, Turesson I, Klepp R, Söderberg M, Wist E, Raabe N, Erlanson M, Solheim OP, Hannisdal E.

Eur J Cancer. 1997 Sep;33(10):1551-8.

PMID:9389914

[Use of 99mTc-MIBI scintigraphy in the evaluation of the response of osteosarcoma to chemotherapy.](#)

Söderlund V, Larsson SA, Bauer HC, Brosjö O, Larsson O, Jacobsson H.

Eur J Nucl Med. 1997 May;24(5):511-5.

PMID:9142731

[The outcome of advanced soft tissue sarcoma patients with complete tumour regression after either chemotherapy alone or chemotherapy plus surgery.](#)

[The Scandinavian Sarcoma Group experience.](#)

Wiklund T, Saeter G, Strander H, Alvegård T, Blomqvist C.

Eur J Cancer. 1997 Mar;33(3):357-61.

PMID:9155517

[The Scandinavian Sarcoma Group. Background, organization and the Central Registry--the first 17 years.](#)

Alvegård TA.

Acta Orthop Scand Suppl. 1997 Feb;273:9-13. No abstract available.

PMID:9057581

[Treatment of advanced, high-grade soft-tissue sarcoma with ifosfamide and continuous-infusion etoposide.](#)

Saeter G, Talle K, Solheim OP.

Cancer Chemother Pharmacol. 1995;36(2):172-5.

PMID:7539339

[Marginal surgery and postoperative radiotherapy in soft tissue sarcomas. The Scandinavian Sarcoma Group experience.](#)

Wiklund TA, Alvegård TA, Mouridsen HT, Rydholm A, Blomqvist CP.

Eur J Cancer. 1993;29A(3):306-9.

PMID:8398323

[The treatment of osteosarcoma: present trends.](#)

[The Scandinavian Sarcoma Group experience.](#)

Solheim OP, Saeter G, Elomaa I, Alvegård TA.

Ann Oncol. 1992 Apr;3 Suppl 2:S7-11.

PMID:1622872

[Treatment of osteosarcoma of the extremities with the T-10 protocol, with emphasis on the effects of preoperative chemotherapy with single-agent high-dose methotrexate: a Scandinavian Sarcoma Group study.](#)

Saeter G, Alvegård TA, Elomaa I, Stenwig AE, Holmström T, Solheim OP.

J Clin Oncol. 1991 Oct;9(10):1766-75.

PMID:1717666

[Cellular DNA content and prognosis of high-grade soft tissue sarcoma: the Scandinavian Sarcoma Group experience.](#)

Alvegård TA, Berg NO, Baldetorp B, Fernö M, Killander D, Ranstam J, Rydholm A, Akerman M.

J Clin Oncol. 1990 Mar;8(3):538-47.

PMID:2407813

[Surgical margin in soft tissue sarcoma. The Scandinavian Sarcoma Group experience.](#)

Alho A, Alvegård TA, Berlin O, Ranstam J, Rydholm A, Rööser B, Stener B.

Acta Orthop Scand. 1989 Dec;60(6):687-92.

PMID:2696323

[Histopathology peer review of high-grade soft tissue sarcoma: the Scandinavian Sarcoma Group experience.](#)

Alvegård TA, Berg NO.

J Clin Oncol. 1989 Dec;7(12):1845-51.

PMID:2685180

[Prognosis in high-grade soft tissue sarcomas. The Scandinavian Sarcoma Group experience in a randomized adjuvant chemotherapy trial.](#)

Alvegård TA, Berg NO, Ranstam J, Rydholm A, Rööser B.
Acta Orthop Scand. 1989 Oct;60(5):517-21.

PMID:2690557

[Adjuvant chemotherapy with doxorubicin in high-grade soft tissue sarcoma: a randomized trial of the Scandinavian Sarcoma Group.](#)

Alvegård TA, Sigurdsson H, Mouridsen H, Solheim O, Unsgaard B, Ringborg U, Dahl O, Nordentoft AM, Blomqvist C, Rydholm A, et al.
J Clin Oncol. 1989 Oct;7(10):1504-13.

PMID:2674336